



in the office  
FURNITURE

9

SCREENS & TRAINING

screens



The use of screens in the office environment facilitate acoustic and visual privacy, allowing for concentration, productivity and a personalized workspace. Various screen options are available, which on the one hand, offer aesthetic solutions, by choice of options, or a vast range of fabric options or introducing elements like glass, screens with vinyl print, or lexan, which offers a sense of openness in the working environment.

Practical solutions, like pinnable materials, whiteboards, magnetic boards and accessory rails with various components can add functional value to workstations.

## 16mm budget screens with pvc edge



## 32mm standard screens with pvc edge




## 16mm budget screens with PVC edge - retro fit

description	size	code	
curved budget sizes	600(w) x 600(h) x 400(h)	CBCD6/6/4	
	900(w) x 600(h) x 400(h)	CBCD9/6/4	
	1200(w) x 600(h) x 400(h)	CBCD12/6/4	
	1500(w) x 600(h) x 400(h)	CBCD15/6/4	
	1600(w) x 600(h) x 400(h)	CBCD16/6/4	
	1800(w) x 600(h) x 400(h)	CBCD18/6/4	
note: specify fabric - for screen product codes	rectangular budget sizes	600(w) x 600(h)	RBCD6/6
		900(w) x 600(h)	RBCD9/6
1200(w) x 600(h)		RBCD12/6	
1500(w) x 600(h)		RBCD15/6	
note: specify fabric - for screen product codes		1600(w) x 600(h)	RBCD16/6
		1800(w) x 600(h)	RBCD18/6
	90 degree bracket	top caps (straight, T or 4 way)	32mm standard screen with PVC edge
description			
curved standard sizes	1200(w) x 600(h) x 400(h)	CSDC12/6/4	
	1500(w) x 600(h) x 400(h)	CSDC15/6/4	
	1600(w) x 600(h) x 400(h)	CSDC16/6/4	
	1800(w) x 600(h) x 400(h)	CSDC18/6/4	
note: specify fabric - for screen product codes	rectangular standard sizes	1200(w) x 500(h)	RSDC12/5
		1500(w) x 500(h)	RSDC15/5
1600(w) x 500(h)		RSDC16/5	
1800(w) x 500(h)		RSDC18/5	
note: specify fabric - for screen product codes		1200(w) x 600(h)	RSDC12/6
		1500(w) x 600(h)	RSDC15/6
L bracket		1600(w) x 600(h)	RSDC16/6
		1800(w) x 600(h)	RSDC18/6
top caps (straight, T or 4 way)		L bracket	top caps (straight, T or 4 way)

## 32mm standard screen with PVC edge

description	size	code	
curved standard sizes	1200(w) x 600(h) x 400(h)	CSDC12/6/4	
	1500(w) x 600(h) x 400(h)	CSDC15/6/4	
	1600(w) x 600(h) x 400(h)	CSDC16/6/4	
	1800(w) x 600(h) x 400(h)	CSDC18/6/4	
note: specify fabric - for screen product codes	rectangular standard sizes	1200(w) x 500(h)	RSDC12/5
		1500(w) x 500(h)	RSDC15/5
1600(w) x 500(h)		RSDC16/5	
1800(w) x 500(h)		RSDC18/5	
note: specify fabric - for screen product codes		1200(w) x 600(h)	RSDC12/6
		1500(w) x 600(h)	RSDC15/6
L bracket		1600(w) x 600(h)	RSDC16/6
		1800(w) x 600(h)	RSDC18/6
top caps (straight, T or 4 way)		L bracket	top caps (straight, T or 4 way)






# 24mm techno 100 screens



# 24mm techno 100 screens



## 24mm techno 100 screens

description	size	code
 <p>curved T100 sizes</p> <p>note: specify fabric - for screen product codes</p>	750(w) x 500(h) x 250(h) 900(w) x 500(h) x 250(h) 1200(w) x 500(h) x 250(h) 1400(w) x 500(h) x 250(h) 1500(w) x 500(h) x 250(h) 1600(w) x 500(h) x 250(h) 1800(w) x 500(h) x 250(h) 2000(w) x 500(h) x 250(h)	T1CC75/5/250 T1CC09/5/250 T1CC12/5/250 T1CC14/5/250 T1CC15/5/250 T1CC16/5/250 T1CC18/5/250 T1CC20/5/250
 <p>rectangular T100 sizes</p> <p>note: specify fabric - for screen product codes</p>	750(w) x 500(h) 900(w) x 500(h) 1200(w) x 500(h) 1400(w) x 500(h) 1500(w) x 500(h) 1600(w) x 500(h) 1800(w) x 500(h) 2000(w) x 500(h)	T1RC075/500 T1RC09/500 T1RC12/500 T1RC14/500 T1RC15/500 T1RC16/500 T1RC18/500 T1RC20/500
 <p>rectangular with rounded corners T100 sizes</p> <p>note: specify fabric - for screen product codes</p>	600(w) x 400(h) 1000(w) x 400(h) 1200(w) x 400(h) 1400(w) x 400(h)	T1RRC6/400 T1RRC10/400 T1RRC12/400 T1RRC14/400
 <p>rectangular with rounded corners T100 sizes</p> <p>note: specify fabric - for screen product codes</p>	600(w) x 400(h) 1000(w) x 400(h) 1200(w) x 400(h) 1400(w) x 400(h)	T1RRC6/400 T1RRC10/400 T1RRC12/400 T1RRC14/400
 <p>L bracket top caps (straight, T or 4 way)</p>		

# 45mm techno 200

---




# 50mm floor standing velcro

---




## 45mm techno 200



description	size	code
-------------	------	------

curved T200 sizes	1200(w) x 500(h) x 250(h)	T2CC12/5/250
	1500(w) x 500(h) x 250(h)	T2CC15/5/250
	1600(w) x 500(h) x 250(h)	T2CC16/5/250
	1800(w) x 500(h) x 250(h)	T2CC18/5/250

note: specify fabric  
- for screen  
product codes



rectangular T200 sizes	1200(w) x 500(h)	T2RC12/500
	1500(w) x 500(h)	T2RC15/500
	1600(w) x 500(h)	T2RC16/500
	1800(w) x 500(h)	T2RC18/500


	1200(w) x 600(h)	T2RC12/600
	1500(w) x 600(h)	T2RC15/600
	1600(w) x 600(h)	T2RC16/600
	1800(w) x 600(h)	T2RC18/600

note: specify fabric - for screen  
product codes

## 50mm floor standing velcro screens - rectangular + curved

description	size	code
-------------	------	------


standard velcro screens rectangular	1200(h) x various widths	
	1500(h)	
	1600(h)	
	1800(h)	



note: specify fabric - for screen  
product codes

curved velcro screens	1200(h) x various widths	
	1500(h)	
	1600(h)	
	1800(h)	

note: specify fabric - for screen  
product codes



50mm base plate




# IS aluminium floor standing desk based combo




# IS desk based screen with lexan and fabric combo 2 tier



## IS floor standing with fabric and clear glass /desk based combo

	description	size	code
	intergrated aluminium floor based screen	1 500(h) x 500(w) fabric x 300(w) glass	GFR015/5
		1 500(h) x 600(w) fabric x 300(w) glass	GFR015/6
		1 500(h) x 800(w) fabric x 300(w) glass	GFR015/8
		1 500(h) x 1 000(w) fabric x 300(w) glass	GFR015/10
		1 500(h) x 1 200(w) fabric x 300(w) glass	GFR015/12
	intergrated aluminium floor based screen	1 800(h) x 500(w) fabric	ISCC18/5
		1 800(h) x 600(w) fabric	ISCC18/6
	full fabric	1 800(h) x 800(w) fabric	ISCC18/8
		1 800(h) x 1 000(w) fabric	ISCC18/1
		1 800(h) x 1 200(w) fabric	ISCC18/12
	intergrated aluminium desk based screen	400(h) x 500(w)	ISDC4/5
		400(h) x 600(w)	ISDC4/6
	full fabric	400(h) x 800(w)	ISDC4/8
	(including connecting brackets)	400(h) x 1 000(w)	ISDC4/1
		400(h) x 1 200(w)	ISDC4/12
	400(h) x 1 600(w)	ISDC4/16	
	400(h) x 1 800(w)	ISDC4/18	
	note: specify fabric - for screen product codes		
	connectors (straight, T, 4 way and 90°) required - dependant on layout		
	standard base pin bracket	} for desk based screens only	
	short base pin bracket		
	plan b bracket		
	long base pin bracket		


## IS desk based screen with fabric lexan combo 2 tier


	description	size	code
	intergrated aluminium desk based screen	750(w) x 400(h) fabric x 400(h) lexan	ISDP750/8
		800(w) x 400(h) fabric x 400(h) lexan	ISDP800/8
		1 200(w) x 400(h) fabric x 400(h) lexan	ISDP1 200/8
	fabric/lexan combo -	1 500(w) x 400(h) fabric x 400(h) lexan	ISDP1 500/8
		1 600(w) x 400(h) fabric x 400(h) lexan	ISDP1 600/8
		1 800(w) x 400(h) fabric x 400(h) lexan	ISDP1 800/8
	connectors (straight, T, 4 way and 90°) required dependant on layout		
	note: specify fabric - for screen product codes		
	standard base pin bracket		
	short base pin bracket		
	plan b bracket		
	long base pin bracket		

# IS desk based screen - full fabric




# IS desk based screen - full fabric

description	size	code
 <p>intergrated aluminium desk based screen full fabric</p> <p>note: specify fabric - for screen product codes</p>	600(w) x 400(h)	ISDC6/4
	800(w) x 400(h)	ISDC8/4
	1200(w) x 400(h)	ISDC12/4
	1600(w) x 400(h)	ISDC16/7
	1800(w) x 400(h)	ISDC18/4



<p>intergrated aluminium desk based screen full fabric</p> <p>note: specify fabric - for screen product codes</p>	600(w) x 400(h)	ISDC6/4
	800(w) x 400(h)	ISDC8/4
	1200(w) x 400(h)	ISDC12/4
	1600(w) x 400(h)	ISDC16/7
	1800(w) x 400(h)	ISDC18/4



standard base pin bracket  
short base pin bracket  
plan b bracket  
long base pin bracket


## IS desk based screen with fabric/lexan combo



## IS desk based screen with fabric/clear glass combo




## IS desk based screen with fabric/lexan combo



description	size	code
intergrated aluminium desk based screen fabric/lexan combo (including connecting brackets)	600(w) x 100(h) fabric x 400(h) lexan	ISDP6/1/4
	600(w) x 100(h) fabric x 300(h) lexan	ISDP6/1/3
	750(w) x 100(h) fabric x 400(h) lexan	ISDP7/1/4
	750(w) x 100(h) fabric x 300(h) lexan	ISDP7/1/3
	1000(w) x 100(h) fabric x 400(h) lexan	ISDP10/1/4
	1000(w) x 100(h) fabric x 300(h) lexan	ISDP10/1/3
	1200(w) x 100(h) fabric x 400(h) lexan	ISDP12/1/4
	1200(w) x 100(h) fabric x 300(h) lexan	ISDP12/1/3
	1600(w) x 100(h) fabric x 400(h) lexan	ISDP16/1/4
	1600(w) x 100(h) fabric x 300(h) lexan	ISDP16/1/3
	1800(w) x 100(h) fabric x 400(h) lexan	ISDP18/1/4
	1800(w) x 100(h) fabric x 300(h) lexan	ISDP18/1/3

note: specify fabric screen  
for screen product codes




standard base pin bracket  
short base pin bracket  
plan b bracket  
long base pin bracket

## IS desk based screen with fabric/clear glass combo



description	size	code
intergrated aluminium desk based screen sandblasted glass/fabric combo (including connecting brackets)	600(w) x 100(h) fabric x 400(h) glass	GDR06/1/4
	600(w) x 100(h) fabric x 300(h) glass	GDR06/1/3
	800(w) x 100(h) fabric x 400(h) glass	GDR08/1/4
	800(w) x 100(h) fabric x 300(h) glass	GDR08/1/3
	1000(w) x 100(h) fabric x 400(h) glass	GDR10/1/4
	1000(w) x 100(h) fabric x 300(h) glass	GDR10/1/3
	1200(w) x 100(h) fabric x 400(h) glass	GDR12/1/4
	1200(w) x 100(h) fabric x 300(h) glass	GDR12/1/3
	1600(w) x 100(h) fabric x 400(h) glass	GDR16/1/4
	1600(w) x 100(h) fabric x 300(h) glass	GDR16/1/3
	1800(w) x 100(h) fabric x 400(h) glass	GDR18/1/4
	1800(w) x 100(h) fabric x 300(h) glass	GDR18/1/3

note: specify fabric screen  
for screen product codes



standard base pin bracket  
short base pin bracket  
plan b bracket  
long base pin bracket



## IS desk based screen with whiteboard





## IS desk based screen with accessory rail



## IS desk based screen with whiteboard/ fabric combo

description	size	code
	intergrated aluminium desk based screen with fabric/whiteboard combo	
	600(w) (300(w) fabric x 300(w) whiteboard) x 500(h)	ISFW6/5
	600(w) (300(w) fabric x 300(w) whiteboard) x 400(h)	ISFW6/4
	800(w) (400(w) fabric x 400(w) whiteboard) x 500(h)	ISFW8/5
	800(w) (400(w) fabric x 400(w) whiteboard) x 400(h)	ISFW8/4
	1200(w) (600(w) fabric x 600(w) whiteboard) x 500(h)	ISFW12/5
	1200(w) (600(w) fabric x 600(w) whiteboard) x 400(h)	ISFW12/4
	1600(w) (800(w) fabric x 800(w) whiteboard) x 500(h)	ISFW16/5
	1600(w) (800(w) fabric x 800(w) whiteboard) x 400(h)	ISFW16/4
	1800(w) (900(w) fabric x 900(w) whiteboard) x 500(h)	ISFW18/5
	1800(w) (900(w) fabric x 900(w) whiteboard) x 400(h)	ISFW18/4
	note: specify fabric - for screen product codes	
	standard base pin bracket	
	short base pin bracket	
	plan b bracket	
	long base pin bracket	

## IS desk based screen with accessory rail

description	size	code
	intergrated aluminium desk based screen	ISDAR6/5
	extra accessory rail optional	ISDAR6/4
	600(w) x 500(h)	ISDAR8/5
	600(w) x 400(h)	ISDAR8/4
	800(w) x 500(h)	ISDAR12/5
	800(w) x 400(h)	ISDAR12/4
	1200(w) x 500(h)	ISDAR16/5
	1200(w) x 400(h)	ISDAR16/4
	1600(w) x 500(h)	ISDAR18/5
	1600(w) x 400(h)	ISDAR18/4
	note: specify fabric - for screen product codes	
	standard base pin bracket	
	short base pin bracket	
	plan b bracket	
	long base pin bracket	

# perspex desk based screens

---




## perspex desk based screens

description	size	code
-------------	------	------

### perspex desk base

5mm perspex




rectangular with rounded corners  
overall height of perspex desk  
based screens with bullet brackets  
add 20mm for bullet and  
assembly brackets overall  
height

600(w) x 380(h)  
1000(w) x 380(h)  
1200(w) x 380(h)  
1400(w) x 380(h)

DBPRC6/38  
DBPRC10/38  
DBPRC12/38  
DBPRC14/38

note: specify finish on perspex screen  
for screen product codes




### rectangular perspex

overall height of perspex desk  
based screens with bullet brackets  
add 20mm for bullet and  
assembly brackets overall  
height

750(w) x 380(h)  
750(w) x 480(h)  
800(w) x 380(h)  
800(w) x 480(h)  
1200(w) x 380(h)  
1200(w) x 480(h)  
1500(w) x 380(h)  
1500(w) x 480(h)  
1600(w) x 380(h)  
1600(w) x 480(h)  
1800(w) x 380(h)  
1800(w) x 480(h)

DBPR75/38  
DBPR75/48  
DBPR80/38  
DBPR80/48  
DBPR12/38  
DBPR12/48  
DBPR15/38  
DBPR15/48  
DBPR16/38  
DBPR16/48  
DBPR18/38  
DBPR18/48

note: specify finish on perspex screen  
for screen product codes




### curved perspex

overall height of perspex  
desk based screens  
with bullet brackets  
add 20mm for bullet  
and assembly brackets  
overall height

750(w) x 480(h) x 230(h)  
800(w) x 480(h) x 230(h)  
1200(w) x 480(h) x 230(h)  
1500(w) x 480(h) x 230(h)  
1600(w) x 480(h) x 230(h)  
1800(w) x 480(h) x 230(h)

DBPC75/48/23  
DBPC80/48/23  
DBPC12/48/23  
DBPC15/48/23  
DBPC16/48/23  
DBPC18/48/23

note: specify finish on  
perspex screen  
- for screen product codes



aluminium bullet bracket



glass screen connectors


# glass desk based screens

---



## glass desk based screens

description	size	code
-------------	------	------




## glass desk base

5mm tempered glass

rectangular with rounded corners	600(w) x 380(h)	DBGRC6/38
overall height of glass desk	1000(w) x 380(h)	DBGRC10/38
based screens with bullet brackets	1200(w) x 380(h)	DBGRC12/38
add 20mm for bullet and assembly brackets overall height	1400(w) x 380(h)	DBGRC14/38

note: specify finish on glass screen  
for screen product codes




## rectangular glass

overall height of glass desk  
based screens with bullet brackets  
add 20mm for bullet and  
assembly brackets overall  
height

750(w) x 380(h)	DBGR75/38
750(w) x 480(h)	DBGR75/48
800(w) x 380(h)	DBGR80/38
800(w) x 480(h)	DBGR80/48
1200(w) x 380(h)	DBGR12/38
1200(w) x 480(h)	DBGR12/48
1500(w) x 380(h)	DBGR15/38
1500(w) x 480(h)	DBGR15/48
1600(w) x 380(h)	DBGR16/38
1600(w) x 480(h)	DBGR16/48
1800(w) x 380(h)	DBGR18/38
1800(w) x 480(h)	DBGR18/48

note: specify finish on glass screen  
for screen product codes




## curved glass

overall height of glass desk  
based screens with bullet  
brackets add 20mm for  
bullet and assembly  
brackets overall  
height

750(w) x 480(h) x 230(h)	DBGC75/48/23
800(w) x 480(h) x 230(h)	DBGC80/48/23
1200(w) x 480(h) x 230(h)	DBGC12/48/23
1500(w) x 480(h) x 230(h)	DBGC15/48/23
1600(w) x 480(h) x 230(h)	DBGC16/48/23
1800(w) x 480(h) x 230(h)	DBGC18/48/23

note: specify finish on glass screen  
- for screen product codes



aluminium bullet bracket



glass screen connectors


# training rooms



Training Rooms need to be multifunctional in their use. Sometimes used for formal meetings, internal training and other times for multimedia presentations.

Our Range of training tables reconfigures effortlessly to suit the demands of training rooms, conference settings and collaborative spaces and can assist you in creating the versatile an functional room that best suit your business needs.

# training rooms



## training rooms



## description

rectangle table  
22mm with 25mm square tube  
table frame and legs with  
adjustable ferrules

## size

1400(w) x 700(d)

## code

TR10



trapezoidal table  
22mm - 25mm square tube  
table and legs with adjustable  
ferrules

1400(w) x 700(d)

TR20



rectangle table  
22mm with 25mm square tube  
table frame and legs with  
adjustable ferrules

1200(w) x 600(d)


TR30



trapezoidal table  
22mm - 25mm square tube table  
frame and legs with adjustable  
ferrules

1200(w) x 600(d)

TR40



podium  
with hinge door and shelf,  
podium includes 4 feet/risers

1100(h) x 500(w) x 400(d)

TR50



  
**in the office**  
**FURNITURE**

**MAKE YOUR WORKPLACE A HAPPY SPACE**

Contact Adel on 063 246 2997 or Michael on 083 627 8203  
adel@itofurniture.co.za or michael@itofurniture.co.za  
[www.itofurniture.co.za](http://www.itofurniture.co.za)